

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : EGC-B

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Siddec
 Industrieweg 10
 2490 Balen - BELGIE
 T +32 14 81 50 01
safety@sidec.be - www.sidec.eu

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number |
|---------|---|---------------------------------------|------------------|
| Belgium | Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid | Rue Bruyn 1 1120 Bruxelles/Brussel | +32 70 245 245 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302
 Acute Tox. 4 (Inhalation) H332
 Skin Corr. 1B H314
 Eye Dam. 1 H318
 Skin Sens. 1 H317
 Aquatic Chronic 3 H412

Full text of H statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) :

Danger

Hazardous ingredients :

Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexanamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane

Hazard statements (CLP) :

H302+H332 - Harmful if swallowed or if inhaled
 H314 - Causes severe skin burns and eye damage.
 H317 - May cause an allergic skin reaction.
 H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P280 - Wear Gloves, protective clothing.
 P273 - Avoid release to the environment.
 P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 P303+P361+P353+P315 - IF ON SKIN : (or hair) Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical advice / attention.

EGC-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------|---|
| Benzyl alcohol | (CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5 (REACH-no) 01-2119492630-38 | 25 – 50 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine | (CAS-No.) 2855-13-2 (EC-No.) 220-666-8 (EC Index-No.) 612-067-00-9 (REACH-no) 01-2119514687-32 | 25 – 50 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |
| Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexylamine with oligomerisation products of 4,4'-propane-2,2-diyl(diphenol with 2-(chloromethyl)oxirane | (CAS-No.) 38294-64-3 (EC-No.) 500-101-4 (REACH-no) 01-2119965165-33 | 25 – 50 | Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Immediately call a POISON CENTER/doctor. Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Do not apply mouth-to-mouth resuscitation. If unconscious place in recovery position and seek medical advice. Loosen tight clothing such as a collar, tie, belt or waistband. symptoms may be delayed.

First-aid measures after skin contact : Call a physician immediately. Wash with plenty of water/.... Remove clothing while washing. Rinse immediately with plenty of water for 15 minutes. Wash clothing before re-using. Thoroughly clean shoes before re-using.

First-aid measures after eye contact : Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Immediately call a POISON CENTER/doctor. Rinse mouth. Take victim to fresh air, in a quiet place. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If unconscious, place in the recovery position and seek medical advice. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Harmful by inhalation.

Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction. Pain. Irritation. Blisters.

Symptoms/effects after eye contact : Serious damage to eyes. Pain. Redness. Lacrimation.

Symptoms/effects after ingestion : Harmful if swallowed. Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing agent suitable for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Heating will cause rise in pressure with risk of bursting.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon monoxide. Carbon dioxide. Nitrogen oxides.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Keep public away. Compressed air/oxygen apparatus. Wear recommended personal protective equipment.

EGC-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information : Toxic to aquatic organisms. Provision to contain effluent from fire extinguishing. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Only qualified personnel equipped with suitable protective equipment may intervene. Evacuate unnecessary personnel. In case of insufficient ventilation, wear suitable respiratory equipment. Wear suitable protective clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Avoid release to the environment. Approach from upwind.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site. Dispose of contaminated materials in accordance with current regulations.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid inhalation of vapour and spray mist. Concerning personal protective equipment to use, see section 8. Avoid contact with skin and eyes. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Ensure adequate ventilation. Keep only in original container. Do not re-use empty containers.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store according to local legislation. Store in original container. Keep cool. Protect from sunlight. Keep container tightly closed and dry. Store in a well-ventilated place.

Storage area : Smoking, eating and drinking should be prohibited in areas of storage and use.

Special rules on packaging : Opened containers must be carefully closed and kept upright to avoid leakage. correctly labelled.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Use appropriate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Measure concentrations regularly, and at the time of any change occurring in conditions likely to have consequences on workers exposure.

Personal protective equipment : Gloves. Protective goggles.

EGC-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------------|---|
| Hand protection | : Impermeable protective gloves. Chemically resistant protective gloves. Gloves must be replaced after each use and whenever signs of wear or perforation appear. Since the product consists of several substances, it is possible to estimate the durability of the glove material beforehand and it therefore needs to be tested before use. The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Material. 730 Camatril. (>=30 min). Material. 898 Butoject (>=480min) |
| Eye protection | : Safety glasses. Face shield |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : In case of insufficient ventilation, wear suitable respiratory equipment |



Other information : Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Liquid |
| Colour | : Colourless. |
| Odour | : Amine-like. |
| Odour threshold | : No data available |
| pH | : ≈ 11 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : 450 – 1050 |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

EGC-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed or in contact with skin. Harmful if inhaled.

| EGC-B | |
|---------------------|-------------------|
| LD50 oral rat | 1030 – 1230 mg/kg |
| LD50 oral | 1639,4 |
| LD50 dermal | 4166,7 mg/kg |
| ATE CLP (gases) | 4500 ppmv/4h |
| ATE CLP (vapours) | 11 mg/l/4h |
| ATE CLP (dust,mist) | 1,5 mg/l/4h |

| Benzylic alcohol (100-51-6) | |
|-----------------------------|---|
| LD50 oral rat | 1620 mg/kg bodyweight (Rat; Experimental value) |
| LC50 inhalation rat (mg/l) | > 4,178 mg/l air (OECD 403: Acute inhalation toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol)) |

| 3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2) | |
|--|--|
| LD50 oral rat | 1030 mg/kg (Equivalent to or corresponding to OECD 401, Rat, Male, Experimental value, Oral, 14 day (s)) |
| LD50 dermal rat | > 2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute dermal toxicity) |
| LC50 inhalation rat (mg/l) | > 5,01 mg/l/4h (Rat; Experimental value) |

Skin corrosion/irritation : Causes severe skin burns.
pH: ≈ 11

Serious eye damage/irritation : Causes serious eye damage.
pH: ≈ 11

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

| Benzylic alcohol (100-51-6) | |
|-----------------------------|---|
| LC50 fish 1 | 460 mg/l (EPA OPP 72-1, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Nominal concentration) |
| EC50 Daphnia 1 | 230 mg/l (OECD 202: Acute Immobilization Study in Daphnia sp., 48 h, Daphnia magna, Fresh water, Experimental value, GLP) |
| LC50 fish 2 | 10 mg/l (96 h; Lepomis macrochirus) |
| ErC50 (algae) | 770 mg/l (OECD 201: Algae: growth inhibition study, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |
| Threshold limit algae 1 | 640 mg/l (96 h; Scenedesmus quadricauda) |

| 3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2) | |
|--|---|
| LC50 fish 1 | 110 mg/l (EU method C.1, 96 h, Leuciscus idus, Semi-static system, Fresh water, Experimental value, GLP) |
| EC50 Daphnia 1 | 23 mg/l (OECD 202: Acute Immobilization Study in Daphnia sp., 48 h, Daphnia magna, Static System, Fresh Water, Experimental Value, GLP) |
| LC50 fish 2 | 110 mg/l (LC50; EU method C.1; 96 h; Leuciscus idus; Semi-static system; Fresh water; Experimental value) |
| NOEC chronic crustacea | 23 |
| NOEC chronic algae | 1,5 mg/l |

| Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexylamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane (38294-64-3) | |
|--|-----------|
| LC50 fish 1 | 70,7 mg/l |

EGC-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexanamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane (38294-64-3)

| | |
|----------------|-----------|
| EC50 Daphnia 1 | 11,1 mg/l |
|----------------|-----------|

12.2. Persistence and degradability

Benzylic alcohol (100-51-6)

| | |
|---------------------------------|---|
| Persistence and degradability | easily degradable in the soil. readily degradable in water. |
| Biochemical oxygen demand (BOD) | 1,6 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 2,4 g O ₂ /g substance |
| ThOD | 2,5 g O ₂ /g substance |

3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)

| | |
|-------------------------------|---|
| Persistence and degradability | Product is practically not biodegradable. |
|-------------------------------|---|

Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexanamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane (38294-64-3)

| | |
|----------------|-----|
| Biodegradation | 0 % |
|----------------|-----|

12.3. Bioaccumulative potential

Benzylic alcohol (100-51-6)

| | |
|---|----------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 1 – 1,1 20 °C Experimental value |
| Bioaccumulative potential | Low bioaccumulation potential. |

3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)

| | |
|---|--|
| BCF other aquatic organisms 1 | 3,16 (BCF; BCFWIN) |
| Partition coefficient n-octanol/water (Log Pow) | 0,99 (Experimental value; OECD 107: Partition coefficient (n-octanol / water): Shake bottle method; 23 °C) |
| Bioaccumulative potential | Low bioaccumulation potential. |

12.4. Mobility in soil

Benzylic alcohol (100-51-6)

| | |
|-----------------|---|
| Surface tension | 39 mN/m (20 °C) |
| Ecology - soil | No supplementary information available. |

3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)

| | |
|---|--------------------|
| Surface tension | 3,47 N/m (23 °C) |
| Partition coefficient n-octanol/water (Log Koc) | log Koc,2.97; QSAR |
| Ecology - soil | Small adsorption. |

12.5. Results of PBT and vPvB assessment

Component

| | |
|--|---|
| Benzylic alcohol (100-51-6) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|------------------------------|--|
| Regional legislation (waste) | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose of waste or used sacks/containers according to local regulations. Do not re-use empty containers without proper cleaning or reconditioning. |
| Additional information | : This material and its container must be disposed of in a safe way. |
| Ecology - waste materials | : Avoid release to the environment. |

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

| | |
|---------------|--------|
| UN-No. (ADR) | : 2735 |
| UN-No. (IMDG) | : 2735 |
| UN-No. (IATA) | : 2735 |
| UN-No. (ADN) | : 2735 |

EGC-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

UN-No. (RID) : 2735

14.2. UN proper shipping name

Proper Shipping Name (ADR) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG) : AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA) : Amines, liquid, corrosive, n.o.s.
Proper Shipping Name (ADN) : AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (RID) : AMINES, LIQUID, CORROSIVE, N.O.S.
Transport document description (ADR) : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S. ((Isophorone Diamine, Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane)), 8, II, (E)
Transport document description (IMDG) : UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. ((Isophorone Diamine, Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane)), 8, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8

EGC-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



14.4. Packing group

| | |
|----------------------|------|
| Packing group (ADR) | : II |
| Packing group (IMDG) | : II |
| Packing group (IATA) | : II |
| Packing group (ADN) | : II |
| Packing group (RID) | : II |

14.5. Environmental hazards

| | |
|-------------------------------|--|
| Dangerous for the environment | : No |
| Marine pollutant | : No |
| Other information | : No supplementary information available |

14.6. Special precautions for user

Special transport precautions : Always keep container in upright position.

- Overland transport

| | |
|---|---------------|
| Classification code (ADR) | : C7 |
| Special provisions (ADR) | : 274 |
| Limited quantities (ADR) | : 11 |
| Excepted quantities (ADR) | : E2 |
| Packing instructions (ADR) | : P001, IBC02 |
| Mixed packing provisions (ADR) | : MP15 |
| Portable tank and bulk container instructions (ADR) | : T11 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP27 |
| Tank code (ADR) | : L4BN |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 2 |
| Hazard identification number (Kemler No.) | : 80 |
| Orange plates | : |



| | |
|-------------------------------|------|
| Tunnel restriction code (ADR) | : E |
| EAC code | : 2X |
| APP code | : B |

- Transport by sea

| | |
|------------------------------------|--|
| Special provisions (IMDG) | : 274 |
| Limited quantities (IMDG) | : 1 L |
| Excepted quantities (IMDG) | : E2 |
| Packing instructions (IMDG) | : P001 |
| IBC packing instructions (IMDG) | : IBC02 |
| Tank instructions (IMDG) | : T11 |
| Tank special provisions (IMDG) | : TP1, TP27 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-B |
| Stowage category (IMDG) | : A |
| Properties and observations (IMDG) | : Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes. |

- Air transport

| | |
|--------------------------------|------|
| PCA Excepted quantities (IATA) | : E2 |
|--------------------------------|------|

EGC-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--|--------|
| PCA Limited quantities (IATA) | : Y840 |
| PCA limited quantity max net quantity (IATA) | : 0.5L |
| PCA packing instructions (IATA) | : 851 |
| PCA max net quantity (IATA) | : 1L |
| CAO packing instructions (IATA) | : 855 |
| CAO max net quantity (IATA) | : 30L |
| Special provisions (IATA) | : A3 |
| ERG code (IATA) | : 8L |

- Inland waterway transport

| | |
|-----------------------------------|----------|
| Classification code (ADN) | : C7 |
| Special provisions (ADN) | : 274 |
| Limited quantities (ADN) | : 1 L |
| Excepted quantities (ADN) | : E2 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP, EP |
| Number of blue cones/lights (ADN) | : 0 |
| Carriage prohibited (ADN) | : No |
| Not subject to ADN | : No |

- Rail transport

| | |
|---|---------------|
| Classification code (RID) | : C7 |
| Special provisions (RID) | : 274 |
| Limited quantities (RID) | : 1L |
| Excepted quantities (RID) | : E2 |
| Packing instructions (RID) | : P001, IBC02 |
| Mixed packing provisions (RID) | : MP15 |
| Portable tank and bulk container instructions (RID) | : T11 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP27 |
| Tank codes for RID tanks (RID) | : L4BN |
| Transport category (RID) | : 2 |
| Colis express (express parcels) (RID) | : CE6 |
| Hazard identification number (RID) | : 80 |
| Carriage prohibited (RID) | : No |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Regulatory reference : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

EGC-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|-------------------------------------|---|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H412 | Harmful to aquatic life with long lasting effects. |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.